



## MondoHub II

**Adds 28 USB Ports to Any Computer - 24 USB 2.0 & Four USB 3.0 Ports, AC Power, Black**

Part No.: [163606](#)

EAN-13: 0766623163606 | UPC: 766623163606

The Manhattan MondoHub II features a high-capacity, four-amp power adapter and has enough ports to manage a growing collection of USB-enabled devices. Unlike some other large-capacity USB hubs available on the market, the MondoHub II features four SuperSpeed USB 3.0 ports and can recharge devices or transfer data at lightning-fast speeds. The compact and durable case features the power and hub-to-PC ports on a side panel to help better organize connections and minimize cable clutter. This high-quality USB hub also features automatic overcurrent protection for each port and hot-swapping plug-and-play connection. With a power switch for each port, the MondoHub II gives users complete control over which devices are using power or valuable system resources.

### Features:

- Provides 28 Hi-Speed USB ports for additional peripherals
- 24 USB 2.0 ports
- Four USB 3.0 ports
- Replaces less-capable hubs with compact multiport design and high-capacity 4-amp power adapter
- Conveniently recharges mobile devices and connects flash drives, receivers, card readers and more
- Switch each port on and off individually
- Features magnets on the bottom to grant environment flexibility to the user.
- Overcurrent protection; hot-swappable
- Compatible with all USB-equipped computers
- Plug and play; Windows and Mac compatible

For more information on Manhattan products, consult your local dealer or visit [www.manhattan-products.com](http://www.manhattan-products.com).

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

- Three-Year Warranty

## Specifications:

### Standards and Certifications

- USB 3.0
- FCC
- CE
- RoHS

### Ports

- Transfer speeds: 1.5 / 12 / 480 Mbps / 5 Gbps
- Upstream plug: Standard-A
- 24 downstream ports: USB 2.0 Standard-A
- Four downstream ports (1, 2, 15 and 16): USB 3.0 Standard-A
- 5 VDC port
- Up to 500 mA power, all ports

### Physical

- Dimensions: 23 (h) x 229 (w) x 112 (d) mm [0.9 (h) x 9 (w) x 4.4 (d) in.]
- Weight: 354 g (12.5 oz.)
- Incorporated USB 3.0 cable: 75 cm (30 in.)
- Housing: plastic
- LED power indicator

### Power Adapter

- FCC
- Input: 100 - 240 V, 50/60 Hz; 1.6 A, maximum
- Output: 5 V / 4 A; if more power is needed, this hub will support a power adapter that provides output at up to 5 V / 5 A
- Cable: 1.2 m (6 ft.)
- DC Tip dimensions: 3.5 x 1.35mm

### Environmental

- Operational temperature: 0 - 45°C (32 - 113°F)
- Storage temperature: -15 - 60°C (5 - 140°F)
- Working humidity: <85%

### System Requirements

- USB-enabled PC or Mac system
- Windows 7/8.1/10 or Mac OS 10 or above
- Available USB 2.0 or USB 3.0 port

### Package Contents

- MondoHub II
- Power adapter
- Instructions

